



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

INDEX TO VOLUME XXVIII.

[New generic, specific, and subspecific names are printed in **heavy-face type**.]

- ACANTHIS** *linaria*, 41.
Accipiter, 496, 497.
 cooperi, 11, 35, 73, 207, 232, 312, 493.
 velox, 11, 35, 73, 207, 232.
Actitis *macularia*, 10, 34, 75, 205, 232, 311, 467.
Ægialitis *meloda*, 10.
 nivosa, 172.
 semipalmata, 141, 467.
Æronautes *melanoleucus*, 12, 313.
Agelaius *phœniceus*, 212, 234, 283, 453.
 phœniceus arctolegus, 287.
 phœniceus fortis, 13, 40, 137, 314.
 phœniceus richmondi, 87.
Agyrtria *decora*, 124.
Aimophila *botterii botterii*, 88.
 cassini, 88.
 ruficeps boucardi, 88.
 ruficeps eremœca, 88, 214.
Aix sponsa, 33, 119, 193, 203, 232.
Albee, E. A., Passenger Pigeon in eastern Iowa, in 1856-1860, 261.
Alle alle, 481.
Allen, Arthur A., a note on the Prothonotary Warbler, 115.
Allen, Francis H., Thoreau's notes on the Passenger Pigeon, 111; Cooke's 'Distribution and Migration of North American Shore-birds,' 517.
Allen, J. A., Roosevelt's 'Revealing and Concealing Coloration in Birds and Mammals,' 472-480.
Aluco, 497.
 pratincta, 112, 208.
 amaurospiza concolor, 123.
 amazona oratrix, 75.
 salvini, 124.
 viridigena, 75.
American Bird Banding Association, 522.
American Ornithologists' Union, Twenty-eighth Stated Meeting of, 101-107; Twenty-ninth Stated Meeting (announcement), 523.
Amizilis *cerviniventris chalconota*, 77.
Ammodramus *bairdi*, 14.
 savannarum australis, 88, 235.
 savannarum bimaculatus, 14, 42, 213, 469.
Amphispiza *bilineata bilineata*, 88, 213.
 nevadensis, 44.
Anas *fulvigula maculosa*, 490.
 platyrhynchos, 8, 32, 190, 203, 232, 287, 466.
 rubripes, 190.
Anderson, R. M., collections made for the American Museum of Natural History in Arctic America, 151.
Andrews, Roy C., collecting cruise in the Dutch East Indies, in the interest of the American Museum of Natural History, 151.
Anhinga *anhinga*, 107, 203, 276.
Ani, Groove-billed, 137.
Anser *albifrons gambeli*, 8, 120, 203, 273.
Anthony, A. W., notes on some species from eastern Oregon, 274.
Anthus *pensilvanicus*, 114.

- Anthus rubescens*, 47, 84, 217.
 spraguei, 15, 84, 469.
Antrostomus carolinensis, 141, 210, 287.
 notabilis, 77.
 vociferus, 210, 234, 469-471.
 vociferus macromystax, 77.
 A. O. U. new Check-List, number of species and subspecies in — a correction, 122.
Aphantochroa hyposticta, 133.
Aphelocoma sieberi couchi, 82.
 texana, 211.
Aquila chrysaetos, 11, 36, 468.
Ara militaris, 75.
Archibuteo ferrugineus, 11, 36, 312.
 lagopus sancti-johannis, 11, 485.
Archilochus alexandri, 210.
 colubris, 78, 210, 234.
Ardea brunnescens, 367.
 herodias, 9, 34, 114, 204, 232, 466, 483.
Arenaria interpres morinella, 468.
Arremonops rufivirgatus rufivirgatus, 89.
Asarcia spinosa, 74.
Asio flammeus, 11, 37, 77, 468.
 wilsonianus, 36, 208.
Astragalinus psaltria, 212.
 psaltria psaltria, 87, 315.
 tristis, 13, 42, 212, 235, 468.
 tristis pallidus, 87.
Astur atricapillus, 10, 36.
 atricapillus striatulus, 493.
Asturina plagiata, 73.
Asyndesmus lewisi, 38, 313.
Atlappetes pileatus dilutus, 89.
Atthis heloisa, 78.
Attila citreopygus luteolus, 124.
 Audubon Society of the State of New York, fourteenth annual meeting, 291.
Auriparus flaviceps flaviceps, 82, 218.
Avocet, 9, 205, 467.
 Americana, 34.
BÆOLOPHUS atricristatus atricristatus, 82.
 atricristatus sennetti, 218.
 wollweberi wollweberi, 82.
 Bailey, Florence Merriam, a drop of four thousand feet, 219-225.
 Bailey, H. H., Black Vulture in Virginia, 112.
 Bailey, S. Waldo, notes on a Massachusetts Mockingbird, 372.
 Bald-pate, 8, 32, 192, 203, 256, 466.
 Baldwin, Roger N., notes on rare species in eastern Missouri, 490-492.
 Barbour, Thomas, and John C. Phillips, concealing coloration again, 179-188.
 Barrett, Harold L., the Egret at Marshfield, Mass., 483.
Bartramia longicauda, 10, 34, 138, 467.
Basileuterus belli belli, 86.
 culicivorus brasheri, 87.
 rufifrons jouyi, 86.
 Beal, F. E. L., notice of his 'Food of Woodpeckers of the United States,' 513.
 Beck, Rollo Howard, notice of his 'Water Birds of the Vicinity of Point Pinos, California,' 128.
 Beebe, C. William, his ornithological explorations in Asia, 151, 391.
 Beetham, Bently, notice of his 'The Home-Life of the Spoonbill, the Stork and Some Herons,' 132; notice of his 'Photography for Bird-Lovers,' 375.
Belanosphrya, 374.
 Bent, A. C., his expedition to the Aleutian Islands, 292, 389, 520.
 Bergtold, W. H., the Western Evening Grosbeak in Denver, Col., 369.
 Betts, Norman DeB., notes from Boulder County, Col., 118.
 Biological Survey of the Panama Canal Zone, 152, 520.

- Biological Survey, report of Chief of, for 1910, 280.
- Bird Enemies of the Texas-fever Tick and other Ticks (notice of various papers on the subject). 136-138.
- Bittern, 9, 33, 170, 204, 232, 256, 466.
American, 90-100, 367.
European, 99.
Least, 118.
South American, 98.
- Blackbird, Brewer's, 13, 40, 212, 287, 309, 314, 468.
Crow, 283.
Parrot-billed, 136.
Red-winged, 137, 212, 234, 283, 287, 309, 310, 453.
Yellow-headed, 13, 40, 212, 287, 491.
- Bluebird, 16, 218, 237, 284.
Chestnut-backed, 219, 310, 319.
Mountain, 16, 49, 218, 308, 319.
- Boas, J. E. V., notice of his 'Ragerne og raageskade i Danmark,' 378.
- Bobolink, 13, 40, 310, 314, 513.
- Bob-white, 312.
Texas, 206.
- Bombycilla cedrorum, 15, 45, 215, 236, 323, 469.
garrula, 15, 45, 493.
- Bonasa umbellus togata, 35.
umbellus umbelloides, 10, 468.
umbellus umbellus, 232.
- Botaurus lentiginosus, 9, 33, 170, 204, 232, 466.
pinnatus, 98.
pœciptilus, 99.
stellaris, 99.
- Bowdish, B. S., a Snowy Owl in New Jersey, 266; a Woodcock in New York City, 368.
- Bowles, J. H., notes extending the range of certain birds on the Pacific Slope, 169-178; the Troupial at Santa Barbara, Cal., 368.
- Brachyramphus craverii, 128.
hypoleucus, 128.
marmoratus, 169.
- Brant, 198.
- Branta bernicla glaucogastra, 273.
canadensis canadensis, 9, 33, 196, 203, 466.
hutchinsi, 9.
- Brewster, William, concerning the nuptial plumes worn by certain Bitterns and the manner in which they are displayed, 90-100; the nuptial plumes of Bitterns: a correction, 256.
- British Ornithologist's Club, review of the Report of its Committee on the Immigration of Summer Residents in England and Wales in the Spring of 1909, 132.
- Brooks, Winthrop S., and Stanley Cobb, notes from eastern Alberta, 465-469.
- Brown, Herbert, the English Sparrow at Tucson, Arizona, 486-488.
- Brown, Nathan Clifford, note on the Killdeer in Maine, 259; recent winter occurrences of two Hawks in Maine, 265; a remarkable number of Robins in Maine in winter, 270-272.
- Bubo virginianus pallescens, 11, 37, 208, 312, 468.
virginianus virginianus, 233.
- Buffle-head, 8, 33, 195, 466.
- Bunting, Indigo, 214, 283.
Lark, 14, 44, 215, 490.
Lazuli, 14, 44, 214, 316.
Painted, 214.
Snow, 42, 468.
- Burroughs, John, notice of 'Bird Stories from Burroughs,' 465.
- Burtch, Verdi, a nest of the Florida

- Gallinule, 108; Black Vulture in Stuben County, N. Y.,—a correction, 112.
- Bush-tit, California, 178.
Sonoran, 223.
- Buteo abbreviatus, 207.
albicaudatus sennetti, 73.
borealis, 207.
borealis borealis, 232.
borealis calurus, 11, 36, 73, 312, 468.
borealis krideri, 11.
lineatus, 207.
platypterus, 485.
swainsoni, 11, 36, 207, 312, 468.
- Butorides brunnescens, 367.
virescens, 9, 204, 453.
- CAIRINA moschata, 72.
- Calamospiza melanocorys, 14, 44, 88, 215, 490.
- Calcarius lapponicus, 42, 114, 468.
ornatus, 13, 213, 276.
pictus, 13.
- Calidris leucophæa, 120, 467.
- Callipepla squamata, 206.
squamata castanogastris, 74.
- Campephilus gautemalensis gautemalensis, 76.
- Camptostoma imberbe, 78.
- Campylorhamphus pusillus borealis, 124.
- Canutus, 497.
- Canvas-back, 8, 33, 194, 200, 466.
- Caracara, Audubon's, 208.
- Carbo, 496.
- Cardinal, Gray-tailed, 214.
- Cardinalis cardinalis canicaudus, 89, 214.
- Carpodacus cassini, 41, 314.
mexicanus, 384.
mexicanus frontalis, 314.
purpureus purpureus, 235.
- Carraker, M. A., Jr., review of his 'An Annotated List of the Birds of Costa Rica,' 122-125.
- Cassinia, a Bird-Annual, notice of issue for 1910, 288.
- Catarractes, 496, 497.
- Catbird, 15, 47, 139, 217, 237, 283, 310, 317.
- Catharacta, 496.
- Catharista urubu, 112, 207.
- Cathartes aura septentrionalis, 10, 35, 207, 232, 263, 468.
- Catharus mexicanus smithi, 80.
occidentalis fulvescens, 80.
- Catherpes mexicanus conspersus, 217.
- Catoptrophorus semipalmatus, 119, 450.
semipalmatus inornatus, 34, 467.
semipalmatus semipalmatus, 75.
- Centrocercus urophasianus, 10, 35.
- Centurus aurifrons, 209.
radiolatus, 137.
uropygialis brewsteri, 374.
- Ceophloeus scapularis scapularis, 96.
- Cerchneis sparveria phalcena, 73.
- Certhia familiaris albescens, 82.
familiaris americana, 217.
familiaris montana, 48.
familiaris, subsp., 117.
familiaris zelotes, 177.
- Ceryle alcyon, 11, 37, 76, 209, 233, 312.
americana septentrionalis, 76, 209.
inda, 125.
torquata, 76.
- Chæmepelia passerina neglecta, 124.
passerina pallescens, 75.
- Chætura richmondi, 77.
pelagica, 141, 210, 233.
- Chamæa fasciata fasciata, 178, 138, 141.
- Chamberlain, Burnham, Wilson's Phalarope, a new species for South Carolina, 109.
- Chamberlain, Rhett, breeding of the Barn Owl, 112.

- Chapman, Frank M., description of a new Oriole (*Icterus fuertesi*) from Mexico, 1-4; his expedition to western Colombia, 291, 391.
- Charadrius, 497.
 dominicus, 120, 205, 368, 467.
 hiaticula, 497.
- Charitonetta albeola, 8, 33, 195, 466.
- Chat, Long-tailed, 15.
 Yellow-breasted, 217.
- Chaulelasmus streperus, 73, 191, 203, 466.
- Chelidon, 131, 497.
 erythrogastra, 84.
- Chelidonaria, 134.
- Chen caerulescens, 272.
 hyperboreus hyperboreus, 8, 73, 272, 466.
 rossi, 33.
- Chewink, 283.
- Chickadee, 48, 178, 219, 237, 284.
 Black-capped, 282.
 Long-tailed, 16, 48, 318, 469.
 Mountain, 48, 309, 318.
 Plumbeous, 218.
- Chicken, Prairie, 10, 206.
- Chippy, 309.
- Chisholm, Casper, American Merganser in South Carolina, 254.
- Chloronerpes æruginosus, 75.
- Chondestes grammacus, 114.
 grammacus strigatus, 14, 42, 88, 213.
- Chordeiles acutipennis texensis, 77.
 virginianus henryi, 12, 38, 77, 210.
 virginianus minor, 141.
 virginianus virginianus, 141, 234.
- Chuck-wills-widow, 210.
- Cinclus mexicanus unicolor, 47, 317.
- Circus hudsonius, 10, 35, 207, 232, 468.
- Cistothorus stellaris, 47, 276.
- Clangula clangula americana, 33, 194, 273.
 islandica, 466.
- Coale, Henry K., Clarke's Nutcracker in Illinois, 266; enormous death rate among Water Fowl near Salt Lake City, Utah, fall of 1910, 274; notes on some birds rare or new to Wisconsin, 275.
- Cobb, Anna E., Wood Thrush at Newbury, Vt., 489.
- Cobb, Stanley, Egret (*Herodias egretta*) in Massachusetts, 482.
 See also Brooks, Winthrop S.
- Coccyzus americanus americanus, 75, 233, 283.
 americanus occidentalis, 209.
 erythrophthalmus, 11, 233, 283, 485.
- Cœligena clemenciæ, 78.
- Colaptes auratus, 283.
 auratus borealis, 374.
 auratus luteus, 12, 38, 233, 468, 486.
 cafer collaris, 12, 38, 173, 210, 313.
 chrysoides brunnescens, 374.
 chrysoides mearnsi, 374.
- Colinus virginianus, 312.
 virginianus maculatus, 74.
 virginianus texanus, 74, 206.
- Columba flavirostris flavirostris, 75.
 flavirostris minima, 124.
 macroura, 54, 111.
 nigrirostris brunneicauda, 124.
 fasciata fasciata, 312.
 migratoria, 359.
- Colymbus, 496, 497.
 auritus, 197, 465.
 holboëlli, 31, 107, 196, 465.
 nigricollis californicus, 7, 32.
- Compsothlypis americana americana, 283.
 americana ramalinæ, 84.
 americana usneæ, 21, 216.
 pitiayumi nigrilora, 84.
- Conurus aztec, 75.
- Cooke, Wells W., notice of his

- 'Distribution and Migration of Shorebirds,' 126-128; notice of his paper on the Migration Routes of North American Birds, 512.
- Coot, 9, 34, 197, 205, 232, 467.
- Corapipo altera albibarbis, 124.
leucorhoa heteroleuca, 124.
- Cormorant, 196.
Double-crested, 16-19, 32.
Mexican, 203.
- Corvus brachyrhynchos brachyrhynchos, 13, 139, 212, 234, 283, 468.
brachyrhynchos hesperis, 40.
corax principalis, 12, 234, 266, 468.
corax sinuatus, 39.
cryptoleucus, 211.
mexicanus, 82.
ossifragus, 287.
- Cowbird, 13, 40, 212, 234, 310, 314.
Red-eyed, 137.
- Craig, Wallace, the expression of emotion in the Pigeons. II. The Mourning Dove (*Zenaidura macroura* Linn.), 398-407; III. The Passenger Pigeon (*Ectopistes migratorius* Linn.), 408-427.
- Crane, Little Brown, 9, 171.
Sandhill, 34, 204, 368.
Whooping, 9, 466.
- Crax globicera, 74.
- Creciscus jamaicensis, 276.
- Creeper, Brown, 217, 219, 224.
Rocky Mountain, 48.
Sierra, 177.
- Crossbill, 13, 41, 315.
White-winged, 493.
- Crotophaga ani, 136.
sulcirostris, 75, 137.
- Crow, 13, 139, 212, 234, 283, 468.
Clarke's, 221.
Western, 40.
- Cryptoglaux acadica acadica, 112, 173, 329.
- Cryptoglaux funerea richardsoni, 173.
- Crypturus mexicanus, 74.
- Cuckoo, Black-billed, 11, 233, 283, 485.
California, 118, 209.
Yellow-billed, 233, 283.
- Curl, Holton C., notice of his 'Notes on the Digestive System of *Hydrocorax*,' 499.
- Curlew, Eskimo, 110, 128, 276.
Long-billed, 35, 119, 205.
- Curvirostra, 496.
- Cyanocephalus cyanocephalus, 13.
- Cyanocitta cristata, 211, 234, 282, 283.
stelleri annectens, 39.
stelleri diademata, 314.
- Cyanocompsa parellina parellina, 89.
- Cyanonympha, 374.
- Cymochorea, 134.
- Cypseloides niger borealis, 313.
- Cyrtonyx montezumæ mearnsi, 206.
montezumæ montezumæ, 74.
- DAFILE acuta, 8, 33, 73, 119, 193, 203, 466.
- Deane, Ruthven, additional records of the European Widgeon (*Marca penelope*), 254; the Passenger Pigeon — only one bird left, 262.
- Delichon, 134.
- Dendragapus obscurus obscurus, 35.
obscurus richardsoni, 35.
- Dendrocincla anabatina saturata, 124.
- Dendrocygna autumnalis, 204.
- Dendroica æstiva, 15, 22, 46, 216, 283.
æstiva æstiva, 84, 236, 317.
æstiva **ineditus**, 85.
auduboni, 15, 46.
auduboni auduboni, 85, 317.
cærulescens, 22.
cærulescens cærulescens, 371.

- Dendroica castanea*, 23.
 cerulea, 23.
 chrysoparia, 86, 216.
 coronata, 22, 85, 216.
 coronata hooveri, 277.
 dominica albilora, 86, 216.
 fusca, 23.
 kirtlandi, 116.
 magnolia, 22.
 occidentalis, 86.
 palmarum, 24.
 pensylvanica, 23, 236, 283.
 pityophila, 268.
 striata, 23.
 tigrina, 22.
 townsendi, 85.
 vigorsi, 236.
 virens, 24, 86, 216, 236, 276, 283, 490.
Dermacentor occidentalis, 138.
Dickcissel, 118, 214.
Dicrorhynchus, 124.
Dipper, 47, 317.
Dolichonyx oryzivorus, 13, 40, 314.
Dove, *Inca*, 207.
 Mourning, 10, 35, 206, 224, 312, 398-407, 490.
 White-winged, 207, 490, 493.
Dovekie, 481.
Dowitcher, 467.
 Long-billed, 467.
Dryobates pubescens, 282, 283.
 pubescens homorus, 37, 312.
 pubescens medianus, 11, 233.
 scalaris bairdi, 76, 209, 500.
 scalaris cactophilus, 500.
 scalaris symplectus, 500.
 villosus, 11, 283.
 villosus fumeus, 501.
 villosus hyloscopus, 501.
 villosus icaustus, 501.
 villosus intermedius, 76.
 villosus leucomelas, 468, 500.
 villosus leucothorectis, 501.
 villosus monticola, 37, 312, 501.
 villosus orius, 501.
Dryobates villosus septentrionalis, 500.
 villosus villosus, 233, 500.
Du Bois, A. Dawes, a note on the nesting of the Whip-poor-will, 469-471.
Duck, *Black*, 190, 198, 199, 319.
 Greater Scaup, 8, 199.
 Lesser Scaup, 8, 33, 199, 203, 466.
 Mottled, 490.
 Pintail, 119, 193.
 Ring-necked, 194.
 Ruddy, 195-198, 199, 203, 256, 466.
 Scaup, 194.
 Spoonbill, 119.
 Wood, 33, 119, 193, 203, 232.
Dumetella carolinensis, 15, 47, 80, 139, 217, 237, 283, 317.
Dunham, Elizabeth M., *Lark Bunting* in New Brunswick, 490.
Dutcher, William, serious illness of, 151, 519.
EAGLE, *Bald*, 11, 36, 232.
 Golden, 11, 36, 468.
Economic Ornithology in recent Entomological Publications, notices of various papers on the subject, 138-142, 282-287, 505-509.
Ectopistes migratorius, 50-53, 119, 261, 346-366, 408-427, 427-449.
Egret, 482, 483, 491.
Egretta candidissima candidissima, 72.
Eider, *Northern*, 195.
 Pacific, 170.
Eifrig, G., bird protection in foreign lands, 453-459.
Elanus leucurus, 73.
Elliott, E. Earl, *Evening Grosbeak* at Lyons, N. Y., 266.
Emberiza, 134.

- Empidonax difficilis difficilis*, 79, 313.
 flaviventris, 79.
 hammondi, 39, 79, 314.
 minimus, 12, 39, 79, 234, 283.
 trailli, 12.
 trailli alnorum, 37.
 trailli trailli, 39, 79.
 virescens, 211.
 wrighti, 39, 79, 314.
Ereunetes pusillus, 141, 467.
Erimatura, 497.
 jamaicensis, 195, 203, 466.
Eugenes fulgens, 78.
Eulabeornis philippensis, 503.
 tricolor, 503.
Euphagus cyanocephalus, 13, 40, 212, 287, 314, 468.
Euphonia gnatho, 124.
Eurynorhynchus pygmeus, 153-155.
Euthlypis lachrymosa lachrymosa, 86.
Evans, Logan, *Colymbus holbaelli* in Kansas, 107.
Ewing, H. E., the English Sparrow as an agent in the dissemination of the chicken and bird mites, 335-340.
FALCO albigularis, 125.
 aurantius, 125.
 columbarius, 11, 208, 264.
 columbarius columbarius, 73, 265, 468.
 columbarius richardsoni, 36, 73.
 deiroleucus, 125.
 fusco-cærulescens, 73.
 mexicanus, 11, 36, 312.
 peregrinus, 492.
 peregrinus anatum, 11, 36, 73, 491.
 rufigularis, 125.
 sparverius, 11, 208, 468.
 sparverius phalœna, 36, 312.
 sparverius sparverius, 172, 233.
Falcon, Prairie, 11, 36, 312.
Farley, J. A., the Egret in Plymouth County, Mass., 482.
Faxon, Walter, notice of his 'Brewster's Warbler,' 287.
Fay, S. Prescott, Massachusetts notes, 120; Hudsonian Godwit (*Limosa hemastica*) in Massachusetts, 257.
Feathers and Facts, notice of, 377.
Ferry, John Farwell, notice of his 'Catalogue of a Collection of Birds from Costa Rica,' 125.
Finch, Cassin's Purple, 41, 221, 310, 314.
 Gray-crowned Rosy, 41.
 Hepburn's Rosy, 41.
 House, 224, 310, 314.
 Purple, 235.
Flicker, 233, 283, 513.
 Northern, 12, 38, 468, 486.
 Red-shafted, 12, 38, 210, 309, 313.
Florida cærulea, 204.
Flycatcher, Acadian, 211.
 Alder, 39.
 Ash-throated, 173, 211.
 Crested, 211.
 Great-crested, 282, 283.
 Hammond's 39, 314.
 Least, 12, 39, 234, 283.
 Olive-sided, 12, 38, 211, 313.
 Scissor-tailed, 210.
 Traill's, 12, 39.
 Vermilion, 211.
 Western, 313.
 Wright's, 39, 314.
Fordyce, Geo. F., Orange-crowned Warbler at Youngstown, Ohio, 370.
Fregata aquila, 107, 254.
Fulica americana, 9, 34, 197, 205, 232, 467.
GADWALL, 191, 203, 466.
Gallinago delicata, 9, 34, 75, 114, 205, 232, 311, 467.

- Gallinula galeata*, 108, 205.
Gallinule, Florida, 108, 205.
 Purple, 205.
Gavia imber, 197.
 immer, 8, 32, 119, 120, 231, 465.
 stellata, 120, 197.
Gelochelidon nilotica, 450.
Geococcyx californianus, 209.
George, Thos. J., the Passenger Pigeon in Missouri fifty years ago, 259-261.
Geothlypis coryi, 238, 243, 248, 252.
 coryi coryi, 239, 253.
 coryi flavida, 239, 248.
 exigua, 239, 243, 248.
 flavida, 239, 241, 248.
 incompta, 239, 242, 243, 251.
 incompta exigua, 239, 248.
 incompta incompta, 239, 251.
 maynardi, 239, 240, 248.
 rostrata, 248.
 rostrata coryi, 246, 252.
 rostrata incompta, 244.
 rostrata rostrata, 244, 246, 247.
 rostrata tanneri, 246, 250.
 rostrata var. coryi, 253.
 rostratus, 238, 239.
 rostratus tanneri, 251.
 tanneri, 238, 242, 250.
 tanneri coryi, 244.
 tanneri maynardi, 239, 244, 248.
 tanneri tanneri, 239, 244.
 trichas, 25, 217, 237, 283.
 trichas brachidactyla, 86.
 trichas occidentalis, 15, 46, 317.
 trichas trichas, 236.
 trichas var. rostrata, 247.
Geranospizias niger, 73.
Gill, Theodore, Kalm's articles on the Passenger Pigeon, 110.
Gladstone, Hugh S., notice of his 'The Birds of Dumfriesshire,' 131.
Glareola, 496, 497.
Glaucidium gnoma gnoma, 37, 77.
 phalænoides ridgwayi, 77.
Gnatcatcher, Blue-gray, 117, 218.
Godwit, Hudsonian, 119, 120, 257.
 Marbled, 119, 120, 467.
Golden-eye, 33, 194, 200, 466.
Goldfinch, 13, 42, 212, 235, 468.
 Arkansas, 212, 315.
Goldmania violiceps, 501.
Goose, Blue, 272.
 Canada, 9, 33, 196, 203, 319, 466.
 Hutchins's, 9.
 Ross's, 33.
 Snow, 466.
 White-fronted, 8, 120, 203.
Goshawk, 10, 36.
 Western, 493.
Grackle, Boat-tailed, 137, 138.
 Bronzed, 41, 235.
 Tinkling, 136.
Grebe, Eared, 7, 32.
 Holboell's, 31, 107, 196, 465.
 Horned, 197, 465.
 Pied-billed, 7, 32, 197, 202, 231, 465.
Grinnell, George Bird, notice of his 'American Game-Bird Shooting,' 279.
Grinnell, Joseph, distribution of the Mockingbird in California, 293-300; notice of his 'The Linnet of the Hawaiian Islands' and 'The Modesto Song Sparrow,' 384.
Gronberger, S. M., translations by, see Kalm, Pehr, and Martin, Anton Rolandson.
Grosbeak, Alaskan Pine, 41.
 Black-headed, 14, 44, 214, 316.
 Evening, 113, 212, 266, 267, 374.
 Pine, 369.
 Rocky Mountain, 41.
 Rose-breasted, 44, 235, 268, 283.
 Western Blue, 214.
 Western Evening, 41, 369.

- Grouse, Canada Ruffed, 35.
 Dusky, 35, 220.
 Gray Ruffed, 10, 468.
 Prairie Sharp-tailed, 10, 35, 468.
 Richardson's, 35.
 Ruffed, 232.
 Sage, 35.
 Sharp-tailed, 276.
- Grus americana, 9, 466.
 canadensis, 9, 171.
 mexicana, 34, 204, 368.
- Guiraca cærulea cærulea, 89.
 cærulea lazula, 214.
- Gull, Bonaparte's, 466.
 California, 42.
 Franklin's, 202.
 Laughing, 450.
 Ring-billed, 8, 32, 465.
 Sea, 135.
- Gunning, J. W. B., and Alwin Haagner, notice of their 'A Check-List of the Birds of South Africa,' 133.
- HAAGNER, Alwin, see Gunning, J. W. B.
- Hæmatopus ostralegus, 450.
- Haliæetus leucocephalus, 11, 36.
 leucocephalus leucocephalus, 232.
- Hancock, Joseph Lane, notice of his 'Nature Sketches in Temperate America,' 498.
- Hardy, Manley, obituary of, 149, 291.
- Harelda hyemalis, 195-273.
- Harlow, Richard C., breeding of the Raven in Pennsylvania, 266; the Orange-crowned Warbler in Pennsylvania, 268; the Black-bellied Plover in Center County, Pa., 484; Bewick's Wren in Center County, Pa., 489.
- Hartert, Ernst, notice of his 'Notes on Various Species of British Birds,' 130.
- Hawk, Broad-winged, 485.
 Cooper's, 11, 35, 207, 232, 312, 493.
 Desert Sparrow, 36, 312.
 Duck, 11, 36, 491.
 Harris's, 207.
 Krider's, 11.
 Marsh, 10, 35, 207, 224, 232, 468.
 Pigeon, 11, 208, 264, 265, 468.
 Red-shouldered, 207.
 Red-tailed, 207, 224, 232.
 Richardson's Pigeon, 36.
 Rough-legged, 11, 36, 485.
 Sharp-shinned, 11, 35, 207, 224, 232, 265.
 Sparrow, 11, 172, 208, 224, 233, 468.
 Swainson's, 11, 36, 207, 312, 468.
 Zone-tailed, 207.
- Hayek, Gustav Edler von, obituary of, 388.
- Heleodytes brunneicapillus couesi, 81.
- narinosus**, 81.
- Helinaia swainsoni, 84.
- Hellmayr, C. E., notice of his 'The Birds of the Rio Madeira,' 376.
- Helminthophila leucobronchialis, 287, 370.
- Helmitheros vermivorus, 84.
- Helodromas, 497.
 solitarius, 9, 205.
 solitarius cinnamomeus, 34, 467.
 solitarius solitarius, 232.
- Hen, Sage, 10.
- Henniger, W. F., new Greenland records, 492.
- Herodias egretta, 72, 482, 483, 491.
- Heron, Black-crowned Night, 9, 204.
 Great Blue, 9, 34, 114, 204, 232, 466, 483.
 Green, 9, 204, 453.
 Little Blue, 204.

- Heron, Night, 170.
Hersey, L. J., some new birds for Colorado, 490.
Hesperiphona vespertina montana, 41.
 vespertina, subsp., 212.
 vespertina vespertina, 113, 266, 267, 369.
Heteractitis, 497.
Heterocnus cabanisi, 72.
Heteroscelus, 497.
Hiesemann, Martin, notice of his 'How to Attract and Protect Wild Birds,' 281.
Himantopus, 496.
 mexicanus, 74, 205.
Hirundo, 131, 497.
 erythrogastra, 15, 45, 141, 215, 236, 316, 453.
 erythrogastra palmeri, 277.
Hodge, C. F., the Passenger Pigeon investigation, 49-53.
Honywill, Albert W., Jr., notes on some summer and fall birds of the Crooked Lake Region, Cass and Crow Wing Counties, Minn., 229-237.
Howe, Reginald Heber, Jr., a Mockingbird in Rhode Island, 116.
Howell, Alfred B., a comparative study at Cobb's Island, Va., 449-453.
Hoxie, W. J., the Saw-whet Owl in Georgia, 265; the Greater Shearwater on the coast of Georgia, 481.
Hummingbird, Black-chinned, 210.
 Broad-tailed, 313.
 Calliope, 38.
 Ruby-throated, 210, 234.
 Rufous, 38.
Huntington, D. W., review of his 'Our Wild Fowl and Waders,' 379-383.
Hybris, 497.
Hydranassa tricolor ruficollis, 72.
Hydrobates, 134.
Hydrochelidon nigra surinamensis, 8, 32, 202, 231, 466.
Hydrocorax hydrocorax, 499.
Hylocharis leucotis, 78.
Hylocichla aliciae, 139.
 fuscescens fuscescens, 237, 284.
 fuscescens salicicola, 16, 49, 318.
 guttata auduboni, 49, 80, 318.
 guttata guttata, 80.
 guttata nana, 80, 138.
 guttata sequoiensis, 80.
 guttata, subsp., 218.
 mustelina, 139, 237, 284.
Hypothymis, 374.
Hypsibates, 496.
IBIS, White-faced Glossy, 224.
 Wood, 204, 256.
Icteria virens longicauda, 15.
 virens virens, 86, 217.
Icterus affinis, 2.
 bullocki, 13, 40, 87, 212.
 cucullatus sennetti, 87.
 fuertesi, 1-4.
 galbula, 87, 212, 234, 283.
 gularis tamaulipensis, 87.
 icterus, 369.
 melanocephalus auduboni, 87.
 spurius, 2, 212, 468.
Ictinia mississippiensis, 207.
Ionornis martinicus, 205.
Iridoprocne bicolor, 45, 141, 316, 469.
JACKDAW, 137.
Jacobs, J. Warren, notice of his 'The Purple Martin and Houses for its Summer Home,' 281.
Jaeger, Pomarine, 482.
Jay, Black-headed, 39.
 Blue, 211, 234, 282, 283.
 Long-crested, 309, 314.
 Oregon, 492.

- Jay, Piñon, 13.
 Rocky Mountain, 39, 314.
 Texas, 211.
 Woodhouse's, 223.
- Jump, Mrs. E. R., Baird's Sand-
 piper in Massachusetts, 110.
- Junco aikenii, 14.
 hyemalis, 43, 213, 277.
 hyemalis hyemalis, 174, 493.
 hyemalis mearnsi, 43.
 hyemalis montanus, 43.
 hyemalis oreganus, 277.
 hyemalis shufeldti, 43.
 phænotus caniceps, 315.
 phænotus phænotus, 88.
- Junco, Gray-headed, 219, 315.
 Intermediate, 219.
 Montana, 43, 219.
 Pink-sided, 43, 219.
 Ridgway's, 219.
 Shufeldt's, 43.
 Slate-colored, 43, 174, 213, 219,
 493.
 White-winged, 14.
- KALM, Pehr, a description of Wild
 Pigeons which visit the Southern
 English Colonies in North Amer-
 ica, during certain years in
 incredible numbers, 53-66; his
 articles on the Passenger Pigeon,
 116.
- Kennedy, Clarence Hamilton, notes
 on the fruit-eating habits of the
 Sage Thrasher in the Yakima
 Valley, 225-228.
- Killdeer, 10, 35, 138, 141, 142, 172,
 205, 232, 259, 282, 467.
- Kingbird, 12, 38, 137, 210, 234,
 283, 310, 313, 468.
 Arkansas, 12, 38, 210.
 Cassin's, 310.
 Couch's, 210.
- Kingfisher, 11, 233, 310.
 Belted, 37, 209, 312.
 Texas, 209.
- Kinglet, Golden-crowned, 218.
- Kinglet, Ruby-crowned, 48, 218,
 224, 318.
 Sitka, 494.
 Western Golden-crowned, 48
- Kite, Mississippi, 207.
- Kloseman, J. E., the Lark Sparrow
 in Massachusetts, 114.
- Kobbe, Frederick Wm., Eskimo
 Curlew, 110.
- Kuser Asiatic Expedition, see Beebe,
 C. William.
- LACEY, Howard, the birds of
 Kerrville, Texas, and vicinity,
 200-219.
- Lanius borealis, 46, 469.
 ludovicianus excubitorides, 15,
 45, 83, 215.
- Lanivireo flavifrons, 83, 215, 283.
 griseus, 283.
 solitarius plumbeus, 316.
 solitarius solitarius, 83, 215.
- Lark, Desert Horned, 12, 39, 211.
 Horned, 114, 224.
 Pallid Horned, 39.
- Larus atricilla, 450.
 brachyrhynchus, 129.
 californicus, 32.
 canus, 129.
 delawarensis, 8, 32, 465.
 franklini, 202.
 philadelphia, 466.
- Leach, J. A., notice of his 'An
 Australian Bird Book,' 509.
- Leptotila fulviventris brachyptera,
 75.
- Leucosticte tephrocotis, 41.
 tephrocotis littoralis, 41
- Limosa fedoa, 119, 120, 467.
 hæmastica, 119, 120, 257.
- Linnæ, 384.
- Linton, C. B., nests of the San
 Nicolas Rock Wren, 489.
- Lobipes lobatus, 34, 141.
- Longspur, Chestnut-collared, 13,
 213, 276.
- Lapland, 42, 114, 468.

- Longspur, McCoun's, 13.
Smith's, 13.
- Loon, 8, 32, 119, 120, 197, 231, 465.
Red-throated, 120, 197.
- Lophodytes cucullatus, 8, 32, 196,
203, 231, 466.
- Loxia, 496, 497.
curvirostra, 497.
curvirostra minor, 13, 41, 315.
curvirostra stricklandi, 87.
leucoptera, 493.
- Lucas, Frederic A., appointment as
Director of the American Museum
of Natural History, 389.
- MACKAY, George H., old records
for Massachusetts and Rhode
Island, 119; old notes on the
Passenger Pigeon, 261.
- Macrorhamphus, 497.
griseus, 277, 467.
griseus scolopaceus, 277, 467.
- Magpie, 12, 39, 173, 309, 314.
- Mallard, 8, 32, 190, 199, 203, 232,
287, 466.
- Man-o'-war-bird, 107, 254.
- Mareca americana, 8, 32, 192, 203,
255, 466.
penelope, 192, 254.
- Marila, 497.
affinis, 8, 33, 73, 194, 203, 466.
americana, 8, 33, 73, 193, 466.
collaris, 194, 273.
marila, 8, 194, 492.
vallisineria, 8, 33, 73, 194, 466.
- Martin, Anton Rolandson, description
of a species of *Procellaria* which is
found at the North Pole, 300-304.
- Martin, Purple, 45, 141, 176, 215,
235, 281, 469.
- Mathews, Gregory M., notices of
his 'The Birds of Australia,'
135, 289, 376, 503; notice of his
'Some necessary Alterations in
the Nomenclature of Birds,' 495.
- McAtee, W. L., enemies of the
Texas-fever Tick, etc., 136-138;
winter ranges of Geese on the Gulf
Coast; notable bird records for
the same region, 272-274; Economic
Ornithology in recent entomological
publications, 138-142, 282-287, 505-509; notice of
his 'Local Names of Water-fowl and
other Birds,' 510.
- McGee, W. J., notice of his 'Notes
on the Passenger Pigeon,' 289.
- McGregor, Richard C., notice of
his various papers on Philippine
birds, 501.
- Meadowlark, 119, 138, 212, 234,
453, 486.
Western, 13, 40, 212, 310, 314,
468.
- Mearns, Edgar A., note on two
unrecognized forms of North
American birds, 489.
- Megalestris skua, 128.
- Megaquiscalus major, 138.
major macrourus, 87, 137.
- Melanerpes aurifrons, 75.
erythrocephalus, 12, 38, 119,
209, 233, 313.
formicivorus, 75, 209.
- Meleagris gallopavo intermedia, 74,
206.
- Melopelia asiatica, 207, 489, 493.
leucoptera, 274.
- Melospiza georgiana, 14.
lincolni, 44, 214.
lincolni gracilis, 277.
lincolni lincolni, 89, 316.
lincolni striata, 277, 493.
melodia, 14, 214, 283, 453.
melodia maillairdi, 384.
melodia melodia, 235.
melodia montana, 44, 315.
melodia rufina, 174.
- Menegaux, A., notice of his Étude
des Oiseaux de l'Équateur rap-
portés par le Dr. Rivet,' 376.

- Merganser, American, 8, 32, 196, 203, 254.
 Hooded, 8, 32, 196, 200, 203, 231, 466.
 Red-breasted, 8, 32, 196, 203, 320, 341-345.
 Mergus americanus, 8, 32, 196, 203, 254.
 serrator, 8, 32, 196, 203, 273, 341.
 Meyer, Adolf Bernhard, obituary of, 519.
 Micraster melanoleucus, 73.
 Micropalama himantopus, 9, 467.
 Miller, Richard F., nesting of the King and Virginia Rails in Philadelphia County, Pa., 256; nesting of the Rose-breasted Grosbeak near Philadelphia, Pa., 268.
 Mimus polyglottos leucopterus, 80, 217, 293-300.
 Mniotilta varia, 21, 84, 216, 236, 283.
 Mockingbird, 116, 269, 372.
 Western, 217, 293-300.
 Molothrus ater, 13, 40, 87, 137, 212, 234, 314.
 Momotus caruleiceps, 76.
 Motacilla, 497.
 Murphey, Robert Cushman, an unusual occurrence of the Pine Grosbeak in Rhode Island, 369.
 Murrelet, Marbled, 169.
 Muscivora forficata, 79, 210.
 Myadestes townsendi, 48, 178, 218, 270, 318.
 obscurus occidentalis, 80.
 Myateria americana, 204, 256.
 Myiarchus cinerascens cinerascens, 173, 211.
 crinitus, 211, 282, 283.
 crinitus crinitus, 79.
 lawrenci lawrenci, 79.
 magister nelsoni, 79.
 Myioborus torquatus, 123.
 Myiochanes pertinax pallidiventris, 78.
 Myiochanes richardsoni, 12, 38, 79, 313.
 virens, 78, 142, 211, 234, 283.
 Myiodynastes luteiventris, 79.
 Myiozetetes texensis texensis, 78.
 NANNORCHILUS leucogaster leucogaster, 82.
 Nelson, E. W., notice of his 'Description of a New Genus and Species of Hummingbird from Panama,' 501.
 Nelson, George, notes on Pelican Island, 393-397.
 Nettion carolinense, 8, 32, 73, 193, 203, 466.
 crecca, 255-366.
 Nighthawk, 141, 234.
 Cuban, 141.
 Western, 12, 38, 210, 313.
 Nisus, 496.
 Northrop, John I., notice of his 'A Naturalist in the Bahamas,' 126.
 Norton, Arthur H., a second European Teal (*Nettion crecca*) in Maine, 255; a recent Turkey Vulture (*Cathartes aura septentrionalis*) in Maine, and revision of earlier records, 263; the Dovekie in Maine in summer, 481.
 Nucifraga columbiana, 13, 40, 266, 314.
 Numenius americanus americanus, 35, 74, 205.
 americanus parvus, 75.
 borealis, 276.
 longirostris, 10, 119.
 Nutteracker, Clarke's, 13, 40, 266, 314.
 Nuthatch, Pygmy, 219, 309, 310, 318.
 Red-bellied, 16.
 Red-breasted, 48, 284.
 Rocky Mountain, 48, 317.
 Slender-billed, 177.

- Nuthatch, White-breasted, 218, 237, 283.
 Nuttallornis borealis, 12, 38, 78, 211, 313.
 Nyctanassa violacea violacea, 72.
 Nyctea nyctea, 37, 266.
 Nycticorax nycticorax nævius, 9, 170, 204.
 Nyctidromus albigollis merrilli, 77.
 OBERHOLSER, Harry C., notice of his 'A Monograph of the Fly-catcher Genera *Hypothymis* and *Cyanonympha*,' 374; notice of his 'A Revision of the Ladder-backed Woodpeckers,' 500; notice of his 'A Revision of the Hairy Woodpeckers,' 500.
 Oceanodroma, 134.
 melania, 129.
 Ochthodromas wilsonius, 450.
 Oenanthe, 497.
 Oidemia americana, 195.
 deglandi, 170, 195, 255, 466.
 perspicillata, 195.
 Oldsquaw, 195.
 Oldys, Henry, notice of his 'The Game Market of To-day,' 511.
 See also Palmer, T. S.
 Olor buccinator, 72.
 columbianus, 33.
 Oporornis agilis, 25.
 formosa, 86, 216.
 philadelphia, 86.
 tolmiei, 46, 86, 317.
 Oreortyx picta picta, 172.
 Oreoscoptes montanus, 47, 217, 225-228.
 Oreospiza chlorura, 44, 316.
 Oreothlypis superciliosa, 84.
 Oriole, Baltimore, 12, 234, 283.
 Bullock's, 13, 40, 212.
 Fuertes's, 1-4.
 Orchard, 212, 468.
 Ortalis vetula mcalli, 74.
 Osprey, 11, 36, 208, 233, 453, 468.
 Otocoris alpestris alpestris, 114.
 alpestris arctica, 39.
 alpestris giraudi, 79.
 alpestris leucolæma, 12, 39, 211.
 Otus asio aikenii, 208.
 asio maxwelliæ, 37, 312.
 asio mcalli, 77.
 Ouzel, 221.
 Ovenbird, 15, 24, 236, 283.
 Owl, Acadian, 329.
 Aiken's Screech, 208.
 Barn, 112, 208.
 Barred, 37, 208.
 Burrowing, 11, 209.
 Great Horned, 233.
 Long-eared, 36, 208.
 Northern Spotted, 493.
 Pygmy, 37.
 Richardson's, 173.
 Rocky Mountain Screech, 37, 312.
 Saw-whet, 112, 173, 265, 329.
 Screech, 155-158.
 Short-eared, 11, 37, 468.
 Snowy, 37, 266.
 Spotted, 220.
 Western Horned, 11, 37, 208, 312, 468.
 Oxyechus vociferus, 10, 35, 74, 138, 141, 172, 205, 232, 259, 282, 467.
 Oxyura, 497.
 Oyster-catcher, 450.
 PACHYRHAMPHUS polychropterus similis, 124.
 Pachysylvia ochraceiceps pallidipectus, 124.
 Palmer, T. S., and Henry Oldys, notice of their 'Progress of Game Protection in 1910,' 511.
 Palumbus migratorius, 54, 111.
 Panama Canal Zone, biological survey of, 152, 520.
 Pandion haliaëtus carolinensis, 11, 208, 233, 453, 468.

- Parabuteo unicinctus harrisi*, 73, 207.
 Parrot, Carl, obituary of, 388.
Passerculus rostratus rostratus, 174.
 sandwichensis alaudinus, 14, 42, 88, 213, 469.
 sandwichensis savanna, 88, 114.
Passer domesticus, 13, 42, 88, 219, 235, 283, 315, 486.
Passerella iliaca fuliginosa, 493.
 iliaca iliaca, 175, 214.
 iliaca insularis, 493.
 iliaca schistacea, 44.
 iliaca sinuosa, 175.
 iliaca stephensi, 175.
Passerherbulus caudacutus, 120.
 henslowi occidentalis, 14.
 maritimus, 453.
Passerina amœna, 14, 44, 214, 316.
 ciris, 89, 214.
 cyanea, 89, 214, 283.
 versicolor versicolor, 89.
 Pearl, Raymond, notice of his paper on the 'Relative Conspicuousness of Barred and Self-colored Fowls', 504.
Pedicecetes phasianellus campestris, 10, 35, 468.
Pelecanus erythrorhynchos, 32, 113.
 fuscus, 125.
 occidentalis, 125, 393-397.
 Pelican, Brown, 393-397.
 White, 32, 113.
Pelidna alpina sakhalina, 205.
Penelope purpurascens, 74.
Penguinus, 496.
 Pennock, C. J., Lapland Longspur and other birds in Delaware, 114.
Penthestes atricapillus, 48, 282, 284.
 atricapillus atricapillus, 178, 237.
 atricapillus septentrionalis, 16, 48, 318, 469.
 carolinensis agilis, 218.
 gambeli gambeli, 48, 318.
Perisoreus canadensis capitalis, 39, 314.
Perisoreus obscurus obscurus, 492.
 Peters, James L., a Golden Plover in Massachusetts in April, 368; Brewster's Warbler, 370.
 Petrel, Black, 129.
Petrochelidon lunifrons lunifrons, 15, 45, 141, 215, 236, 282, 316, 488.
Peucea cassini, 213.
Peucedramus olivaceus, 84.
 Pewee, Western Wood, 12, 38, 313.
 Wood, 142, 211, 234, 283.
Phæoptila latirostris, 77.
Phainoptila melanoxantha, 123.
Phalacrocorax 496, 497.
 auritus, 16, 32.
 carbo, 196.
 vigua mexicanus, 203.
Phalænoptilus nuttalli, 12, 38, 210.
 Phalarope, Northern, 34, 141.
 Wilson's, 34, 109, 141, 171, 467.
Pheucticus tibialis, 123.
Pheugopedius maculipectus maculipectus, 81.
 Phillips, John C., a year's collecting in the State of Tamaulipas, Mexico, 67-89; two unusual Massachusetts records, 119; ten years of observation on the migration of Anatidæ at Wenham Lake, Mass., 188-200; early date for the Ruddy Duck, 256; two unusual flights of Canada Geese noted in Massachusetts during the fall of 1910, 319-323; a case of the migration and return of the European Teal in Massachusetts, 366.
Philohela minor, 368.
Phlœotomus pileatus abieticola, 266, 491.
 pileatus floridanus, 374.
 pileatus picinus, 374.
 pileatus pileatus, 209, 233.
 Phœbe, 142, 211, 234, 283, 453.
 Say's, 12, 38, 211, 224.
Phœnicopterus ruber, 274.

- Phœnicurus ochrurus gibraltariensis*, 130.
- Pica pica hudsonia*, 12, 39, 173, 314.
- Picoides americanus americanus*, 37.
 americanus dorsalis, 37.
 americanus fumifrons, 277.
 arcticus, 37.
- Picolaptes affinis affinis*, 78.
- Pigeon, Band-tailed, 310, 312.
 Passenger, 49–53, 110, 111, 119,
 259, 261, 262, 289, 346–366,
 408–427, 427–449.
 Wild, 53–66.
- Pinicola enucleator alascensis*, 41.
 enucleator californica, 175.
 enucleator leucura, 369.
- Pintail, 8, 33, 203, 466.
- Pipilo crissalis senicula*, 175.
 erythrophthalmus erythrophthalmus, 235, 283.
 fuscus mesoleucus, 214.
 maculatus arcticus, 44, 214.
 maculatus maculatus, 14.
 maculatus montanus, 89, 316.
- Pipit, 47, 217, 223.
 Sprague's, 15, 469.
- Piranga bidentata sanguinolenta*, 87.
 erythromelas, 235, 283, 488.
 hepatica dextra, 87.
 ludoviciana, 15, 45, 176, 316.
 rubra rubra, 87, 215.
- Pisobia alpina sakhalina*, 119.
 bairdi, 9, 34, 110, 141, 467.
 maculata, 9, 120, 141, 171, 467.
 minutilla, 9, 34, 141, 467.
- Pitangus sulphuratus derbianus*, 79.
- Planesticus grayi tamaulipensis*, 80.
 migratorius migratorius 16, 139,
 218, 234, 284, 494.
 migratorius propinquus, 80,
 318, 469.
 nigrescens, 121.
- Platypsaris aglaïæ aglaïæ*, 78.
 niger, 137.
- Plectrophenax nivalis*, 42, 468.
- Plover, American Golden, 120.
- Plover, Black-bellied, 467, 484.
 Golden, 205, 368, 467, 513.
 Mountain, 35.
 Piping, 10.
 Ring-neck, 141.
 Semipalmated, 467.
 Snowy, 172.
 Upland, 10, 34, 138, 467.
 Wilson's, 450.
- Podasocys montanus*, 35, 74.
- Podiceps*, 496.
 griseigena, 492.
- Podilymbus podiceps*, 7, 32, 197,
 202, 231, 465.
- Polioptila cærulea cærulea*, 80, 117,
 218.
- Polyborus cheriway*, 208.
- Poecetes gramineus confinis*, 14,
 42, 213, 315, 469.
 gramineus gramineus, 88, 235.
- Poor-will, 38, 210.
 Nuttall's, 12, 313.
- Porzana carolina*, 34, 74, 205, 232,
 311, 467.
- Prasitis vitticeps*, 133.
- Procellaria*, 300.
 leachii, 134.
 pelagica, 134.
- Progne subis subis*, 45, 141, 176,
 215, 235, 281, 469.
- Psaltiriparus minimus californicus*,
 178.
- Psilorhinus morio morio*, 82.
- Publications received, 142, 290,
 385, 514.
- Puffinus bulleri*, 129.
 carneipes, 129.
 major, 481.
- Purdie, Henry A., notice of death
 of, 387.
- Pyrocephalus rubinus mexicanus*,
 78, 211.
- Pyrrhuloxia sinuata texana*, 89.
- QUAIL, Gambel's, 223.
 Mearns's, 206.

- Quail, Mountain, 172.
 Scaled, 206.
Querquedula cyanoptera, 33, 73, 274.
 discors, 8, 33, 73, 193, 203, 466, 491.
Quiscalus crassirostris, 136.
 quiscula æneus, 41, 235.
 quiscula quiscula, 283.
 RAIL, Black, 276.
 Carolina, 34.
 Clapper, 119, 451.
 King, 121, 256.
 Virginia, 9, 204, 256.
Rallus crepitans, 451.
 crepitans crepitans, 119.
 elegans, 121, 256.
 pectoralis, 503.
 virginianus, 9, 204, 256.
 Ramsden, Charles T., nesting of the Man-o'-war-bird (*Fregata aquila*) in Cuba, 254; the Cuban Pine Warbler, 268; record of *Butorides brunnescens* in Cuba, 367; *Buteo platypterus* eating minnows, 485; White-crowned Sparrow in Cuba, 488.
 Rathbun, S. F., Rough-legged Hawk (*Archibuteo lagopus sancti-johannis*), 485; Northern Flicker in San Juan County, Wash., 486; notes on birds of Seattle, Washington, 492-494.
 Raven, 12.
 Northern, 234, 266, 468.
 Western, 39.
 White-necked, 211.
 Rea, Paul M., White Pelican in South Carolina, 113.
Recuvirostra americana, 9, 34, 74, 205, 467.
 Red-head, 8, 33, 193, 198, 466.
 Redpoll, 41.
 Redstart, 25, 47, 217, 237, 283.
 Black, 130.
 Red-tail, Western, 11, 36, 312, 468.
 Red-wing, Thick-billed, 13, 40, 314.
Regulus calendula, 48, 218.
 calendula calendula, 80, 318.
 calendula grinnelli, 494.
 satrapa, 218.
 satrapa olivaceus, 48.
 Reichenow, Ant., notice of three papers by, on collections of African birds, 502.
Rhodothraupis celæno, 89.
Rhynchophanes mccowni, 13.
Rhynchops nigra, 450.
 Ridgway, Robert, notice of his 'Diagnoses of some new forms of *Picidæ*,' 374.
Riparia, 131, 134.
 riparia, 15, 45, 84, 141, 488.
 Road-runner, 209.
 Roberts, Thomas S., notice of his 'The Evening Grosbeak in Minnesota,' 374.
 Robin, 16, 118, 139, 218, 237, 270, 284, 494, 513.
 Western, 49, 308, 310, 318, 469.
 Rossignol, R. G., rare Swallows in Georgia, 488.
 Rough-leg, Ferruginous, 11, 36, 312.
 Rubow, C., notice of his The Sea Gull, 135.
Rupornis griseicauda, 73.
Ruticilla tithys, 130.
 SAGE, John H., Twenty-eighth Stated Meeting of the American Ornithologists' Union, 101-107.
Salpinctes obsoletus, 15, 47, 217.
 obsoletus obsoletus, 317.
 obsoletus pulverius, 489.
 Sanderling, 120, 467.
 Sandpiper, Baird's 9, 34, 110, 141, 467.
 Buff-breasted, 10, 467, 490.
 Least, 9, 34, 141, 467.
 Pectoral, 9, 120, 141, 171, 467.

- Sandpiper, Red-backed, 119, 205.
Semipalmated, 141, 467.
Solitary, 9, 205, 232, 276.
Spoon-bill, 153-155.
Spotted, 10, 34, 205, 232, 311, 467.
Stilt, 9, 467.
Western Solitary, 34, 467.
White-rumped, 127.
Sapsucker, Red-naped, 37, 309, 312.
Williamson's, 38, 209, 309, 313.
Yellow-bellied, 209, 233, 283, 513.
Saunders, Aretas A., preliminary list of the birds of Gallatin County, Mont., 26-49; a study of the nesting of the Cedar Waxwing, 323-329.
Saxicola, 497.
aurita, 130.
hispanica, 130.
stapazina, 130.
Sayornis nigricans nigricans, 125.
phœbe, 79, 142, 211, 234, 283, 453.
sayus, 12, 38, 79, 211.
Scardafella inca inca, 75, 207.
Scoter, 195.
White-winged, 170, 255, 466.
Seiurus auroparillus, 15, 24, 86, 236, 283.
motacilla, 24, 86, 216, 488.
noveboracensis notabilis, 15, 46, 317.
noveboracensis noveboracensis, 24, 236.
Selasphorus platycercus, 78, 313.
rufus, 38.
simoni, 124.
torridus, 124.
Setophaga picta picta, 86.
rutililla, 25, 47, 217, 237, 283.
Shearwater, Greater, 481.
Pink-footed, 129.
Shelley, George Ernest, announcement of death of, 291; obituary of, 387.
Sherman, Althea R., nest life of the Screech Owl, 155-68.
Sherman, Julia Wingate, a pair of Mockingbirds near Boston in 1902, 116; an albino Robin.
Shoveller, 8, 33, 193, 203, 466.
Shrike, Northern, 46, 469.
White-rumped, 15, 46, 215.
Shufeldt, R. W., the extermination of the Wild Turkey in the State of Virginia, 144-146.
Sialia currucoides, 16, 49, 218, 319.
mexicana bairdi, 319.
sialis fulva, 80.
sialis sialis, 16, 218, 237, 284.
Simon, E., Notice of his 'Catalogue général des Trochilidés observés jusque'à ce jour dans la République de l'Écuador,' 133.
Siskin, 213.
Pine, 13, 42, 220, 309, 310, 315.
Sitta canadensis, 16, 48, 284.
carolinensis aculeata, 177.
carolinensis carolinensis, 218, 237, 283.
carolinensis mexicana, 82.
carolinensis nelsoni, 48, 317.
pygmæa, 318.
Skimmer, Black, 450.
Skua, 128.
Smith, Frank, Double-crested Cormorant breeding in central Illinois, 16-19.
Snipe, Wilson's, 9, 34, 114, 205, 232, 311, 467.
Solitaire, Townsend's, 48, 178, 218, 270, 318.
Somateria mollissima borealis, 195.
v-nigra, 170.
Sora, 205, 232, 311, 467.
Sparrow, Baird's, 14.
Black-throated, 213.
Brewer's, 43.
Cassin's, 213.
Chipping, 213, 235, 283.
Clay-colored, 14, 213, 315.

- Sparrow, English, 13, 42, 219, 235, 283, 335-340, 486.
 Field, 213, 235, 283.
 Forbush's, 493.
 Fox, 175, 214.
 Golden-crowned, 174.
 Grasshopper, 235.
 Harris's, 213, 267.
 House, 310, 315.
 Intermediate, 43.
 Kadiak Fox, 493.
 Large-billed, 174.
 Lark, 114.
 Lincoln's, 44, 214, 316.
 Modesto Song, 384.
 Mountain Song, 44, 308, 310, 315.
 Nuttall's, 174.
 Rock, 214.
 Sage, 44.
 Savannah, 114.
 Scott's, 223.
 Seaside, 453.
 Sharp-tailed, 120.
 Slate-colored Fox, 44.
 Song, 14, 214, 224, 235, 283, 453.
 Sooty Fox, 493.
 Sooty Song, 174.
 Stephens's Fox, 175.
 Swamp, 14.
 Valdez Fox, 175.
 Vesper, 235.
 Western Chipping, 14, 43, 315.
 Western Field, 14.
 Western Grasshopper, 14, 213, 469.
 Western Henslow's, 14.
 Western Lark, 14, 42, 213.
 Western Savannah, 14, 42, 213, 469.
 Western Tree, 43, 469.
 Western Vesper, 14, 42, 213, 310, 315, 469.
 White-crowned, 42, 213, 224, 308, 315, 469, 488.
- Sparrow, White-throated, 14, 213, 235.
 Spatula clypeata, 8, 33, 73, 119, 193, 203, 466.
 Speotyto cunicularia hypogæa, 11, 77, 209.
 Sphyrapicus thyroideus, 38, 209, 313.
 varius nuchalis, 37, 312.
 varius ruber, 277.
 varius varius, 76, 209, 233, 283.
 Spinus pinus pinus, 13, 42, 87, 213, 315.
 Spiza americana, 88, 214.
 Spizella breweri, 43.
 monticola ochracea, 43, 469.
 passerina arizonæ, 14, 43, 88, 315.
 passerina passerina, 213, 235, 283.
 pusilla arenacea, 14, 88.
 pusilla pusilla, 213, 235, 283.
 Sporophila moreletii sharpei, 89.
 Squatarola squatarola, 467.
 Steganopus tricolor, 34, 109, 141, 171, 467.
 Stelgidopteryx serripennis, 45, 125, 316.
 Stellula calliope, 38.
 Sterna antillarum, 450.
 forsteri, 8, 450.
 hirundo, 450.
 Stilt, Black-necked, 205.
 Storrs, C. H., the Evening Grosbeak in New Hampshire, 267.
 Strix, 497.
 occidentalis caurina, 493.
 varia varia, 37.
 varia, subsp., 208.
 virgata **tamaulipensis**, 76.
 Strong, R. M., "nuptial plumes" of the American Bittern, 367.
 Sturnella magna magna, 119, 138, 212, 234, 453, 486.
 neglecta, 13, 40, 87, 212, 314, 468.

- Swales, B. H., see Taverner, Paul A.
 Swallow, Bank, 15, 45, 141, 488.
 Barn, 15, 45, 141, 215, 236, 310, 316, 453.
 Cliff, 15, 45, 141, 215, 236, 316, 488, 513.
 Northern Violet-green, 45, 287, 493.
 Rough-winged, 45, 310, 316.
 Tree, 45, 141, 316, 469.
 Violet-green, 316.
 Swan, Whistling, 33.
 Swift, Black, 313.
 Chimney, 141, 210, 234.
 White-throated, 12, 313.
- TACHYCINETA *thalassina lepida*, 45, 287, 316, 493.
 Tanager, Scarlet, 235, 283, 488, 513.
 Summer, 215.
 Western, 15, 45, 176, 310, 316.
 Tangavius *æneus involucratus*, 137.
 Taphrospilus, 133.
 Taverner, P. A., a Wood Ibis for Michigan, 256.
 Taverner, P. A., and B. H. Swales, notes on the migration of the Saw-whet Owl, 329-334.
 Teal, Blue-winged, 8, 33, 193, 200, 303, 466, 491.
 Cinnamon, 33.
 European, 255, 366.
 Green-winged, 8, 32, 193, 203, 367, 466.
 Telmatodytes *palustris iliacus*, 118, 217.
 palustris plesius, 118.
 Tern, Arctic, 513.
 Black, 8, 32, 202, 231, 466.
 Common, 450.
 Forster's, 8, 450.
 Gull-billed, 450.
 Least, 450.
 Tetragnonops *frantzii*, 124.
 Thayer, Abbott H., concealing coloration, 146-148; concealing coloration: a demand for investigation of my tests for the efface power of patterns, 460-464.
 Thayer, John E., eggs of the Spoon-bill Sandpiper (*Eurynorhynchus pygmeus*), 153-155; a banded Baldpate shot at Currituck, N. C., 255; Northern Pileated Woodpecker in Massachusetts, 266; the Evening Grosbeak at Lancaster, Mass., 267; Black-throated Blue Warbler (*Dendroica cærulescens cærulescens*) nesting in Sterling, Mass., 371.
 Thrasher, Brown, 15, 217, 237, 283.
 Sage, 47, 217, 225-228.
 Thrush, Alice's, 139.
 Audubon's Hermit, 49, 310, 318.
 Dwarf Hermit, 138.
 Hermit, 218, 489.
 Olive-backed, 16, 49, 318.
 Red-wing, 130.
 Song, 130.
 White's, 130.
 Willow, 16, 49, 318.
 Wilson's, 489.
 Wood, 139, 237, 284, 489.
 Thryomanes *bewicki cryptus*, 81, 217.
 Thryothorus *ludovicianus*, 217.
 ludovicianus berlandieri, 81.
 ludovicianus lomitensis, 81.
 Thurston, Henry, Long Island notes 276.
 Tick-eating birds, notice of papers on, 383.
 Titlarks, 114.
 Titmouse, Bridled, 223.
 Gray, 223.
 Sennett's, 218.
 Todd, W. E. Clyde, the Bahaman species of *Geothlypis*, 237-253; the Sandhill Crane (*Grus mexicana*) in Ohio, 368.
 Todus *viridis*, 137.

- Totanus calidris*, 492.
 flavipes, 9, 34, 75, 205, 467.
 melanoleucus, 9, 34, 205, 467.
 solitarius, 276.
Towhee, 235.
 Anthony's 175.
 Arctic, 14, 44, 214, 316.
 Cañon, 314-223.
 Green-tailed, 44, 316.
Townsend, Charles H., his expedition to Lower California in the U. S. Fisheries steamer 'Albatross,' 292, 389.
Townsend, Charles W., notice of his 'A Labrador Spring,' 129; the courtship and migration of the Red-breasted Merganser (*Mergus serrator*), 341-345.
Toxostoma curvirostre curvirostre, 80.
 longirostre sennetti, 79.
 rufum, 15, 217, 237, 283.
Trachelia, 496.
Tracy, Henry Chester, review of his 'Significance of White Markings in Birds of the Order Passeriformes,' 278.
Tree-duck, Black-bellied, 204.
Trichas rostrata, 247.
Tringa, 497.
 ocrophus, 497.
Troglodytes ædon, 138, 237, 283.
 ædon parkmani, 16, 47, 81, 217, 317.
 brunneicollis cahooni, 82.
Trogon ambiguus, 76.
 mexicanus, 76.
 underwoodi, 124.
Troupial, 368.
Tryngites subruficollis, 10, 467, 490.
Turdus aureus, 130.
 musicus, 130.
 philomelos, 130.
 philomelos clarkei, 130.
Turkey, Rio Grande, 206.
Turkey, Wild, 144, 220, 224.
Turnstone, Ruddy, 468.
Tuttle, Albert W., Pomarine Jaeger capturing a Phalarope, 482.
Tympanuchus americanus, 10, 206.
Tyrannus caudifasciatus, 137.
 dominicensis, 125.
 melancholicus couchi, 79, 210.
 tyrannus, 12, 38, 137, 142, 210, 234, 283, 313, 468.
 verticalis, 12, 38, 210.
Tyta, 497.
Tyto, 497.
URUBITINGA anthracina, 73.
 ridgwayi, 73, 124.
VEERY, 237, 284.
Verdin, 218.
Vermivora celata, 21, 216.
 celata celata, 84, 117, 176.
 celata lutescens, 46, 177.
 chrysoptera, 21, 283.
 peregrina, 21.
 pinus, 84.
 rubricapilla, 21, 216, 283.
 rubricapilla rubricapilla, 84, 236.
 virginia, 317.
Vireo atricapillus, 83, 215.
 belli, 215.
 belli belli, 83, 215.
 gilva, 283.
 gilva swainsoni, 15.
 griseus, 215.
 griseus griseus, 83.
 griseus micrus, 83.
 huttoni mexicanus, 83.
 olivaceus, 15.
Vireo, Bell's, 215.
 Black-capped, 215.
 Blue-headed, 215.
 Plumbeus, 316.
 Red-eyed, 15, 46, 176, 215, 236, 283, 494.
 Warbling, 283, 308.

- Vireo, Western Warbling, 15, 46, 316.
 White-eyed, 215, 283.
 Yellow-throated, 215, 283.
- Vireosylva gilva swainsoni, 46, 83, 316.
 olivacea, 46, 83, 176, 215, 236, 283, 494.
- Visher, Stephen Sargent, annotated list of the birds of Harding County, S. D., 5-16; Townsend's Solitaire in eastern South Dakota, 270.
- Vultur, 134.
- Vulture, Black, 112, 207, 263.
 Turkey, 10, 35, 112, 207, 232, 468.
- WALKER, F. S., numbers of Meadow-lark still increasing in Maine, 486.
- Warbler, Audubon's, 15, 46, 219, 223, 317.
 Bay-breasted, 23.
 Black and White, 21, 216, 236, 283.
 Blackburnian, 23.
 Black-poll, 23, 513.
 Black-throated Blue, 22, 371.
 Black-throated Green, 24, 216, 236, 276, 283, 490.
 Brewster's, 470.
 Canadian, 25, 236.
 Cape May, 22.
 Cerulean, 23.
 Chestnut-sided, 23, 236, 283.
 Connecticut, 25, 513.
 Cuban Pine, 268.
 Golden-cheeked, 216.
 Golden-winged, 21, 283.
 Grinnell's, 46.
 Kentucky, 216.
 Kirtland's, 116.
 Lutescent, 46, 177.
 Macgillivray's, 46, 317.
 Magnolia, 22.
 Myrtle, 22, 216.
- Warbler, Nashville, 21, 216, 236, 283.
 Northern Parula, 22, 216.
 Orange-crowned, 21, 117, 176, 216, 268, 370.
 Palm, 24, 513.
 Parula, 283.
 Pileolated, 46, 317.
 Pine, 236.
 Prothonotary, 115.
 Sycamore, 216.
 Tennessee, 21.
 Virginia's, 317.
 Wilson's, 15, 25.
 Yellow, 15, 22, 46, 216, 236, 283, 310, 317.
- Water-Thrush, 24.
 Grinnell's, 15, 216, 317.
 Louisiana, 24, 216, 488.
- Water-Turkey, 107, 203, 275.
- Waxwing, Bohemian, 15, 45, 493.
 Cedar, 15, 45, 215, 236, 323, 469.
- Wayne, Arthur T., a third South Carolina record for the Man-o'-war-bird, 107; the color of the gular sac of the Water-Turkey, 107; a fourth South Carolina, record for the Saw-whet Owl, 112; a third autumnal record of Kirtland's Warbler (*Dendroica kirtlandi*) for South Carolina, 116; the White-winged Scoter (*Oidemia deglandi*) in South Carolina, 255; the Pigeon Hawk (*Falco columbarius*) wintering on the coast of South Carolina, 264; the Black-billed Cuckoo (*Coccyzus erythrophthalmus*) breeding on the coast of South Carolina, 485; the Scarlet Tanager (*Piranga erythromelas*) on the coast of South Carolina, 488; a peculiar variation in the Louisiana Water-Thrush (*Seiurus motacilla*), 488.

- Wheatear, Black-throated, 130.
 Eared, 130.
 Whip-poor-will, 141, 210, 234, 287, 469.
 Whistler, 198.
 Whitman, Charles Otis, obituary of, 149; his collection of Pigeons, 494.
 Widgeon, 192, 199.
 European, 254.
 Widmann, Otto, list of birds observed in Estes Park, Colorado, from June 10 to July 18, 1910, 304-319.
 Willet, 34, 119, 450.
 Western, 467.
Wilsonia canadensis, 25, 86, 236.
 pusilla pileolata, 46, 86, 317.
 pusilla pusilla, 15, 25, 86.
 Wood, J. Claire, the Warblers in Wayne County, Mich., in 1909, 19-25; a new breeding record for Wayne County, Mich., 269.
 Woodcock, 368.
 Woodpecker, Alpine Three-toed, 37, 221.
 Ant-eating, 209.
 Arctic Three-toed, 37.
 Batchelder's, 37, 312.
 Downy, 11, 233, 282, 283, 513.
 Gila, 513.
 Golden-fronted, 209.
 Hairy, 11, 233, 283, 500, 513.
 Ivory-bill, 513.
 Ladder-backed, 500.
 Lewis's, 38, 313.
 Northern Hairy, 468.
 Northern Pileated, 266, 491.
 Pileated, 209, 221, 233.
 Red-bellied, 513.
 Red-headed, 12, 38, 119, 209, 233, 310, 313, 513.
 Rocky Mountain Hairy, 37, 312.
 Texas, 209, 223.
 Three-toed, 37, 514.
 Wren, Bewick's, 224, 489.
 Cañon, 118, 217, 224.
 Carolina, 217.
 House, 138, 237, 283.
 Prairie Marsh, 118, 217.
 Rock, 15, 47, 217, 223, 310, 317.
 San Nicolas Rock, 489.
 Short-billed Marsh, 47, 276.
 Texas, 217.
 Western House, 16, 47, 217, 308, 310, 317.
 Wren-tit, 138, 141, 178.
 Wright, Albert Hazen, other early records of the Passenger Pigeon, 346-366, 427-449.
 Wright, Horace W., a Blue-gray Gnatcatcher in Brookline and Boston, Mass., 117.
 Wyman, L. E., Harris's Sparrow (*Zonotrichia querula*) in Southern Idaho, 267.
XANTHOCEPHALUS xanthocephalus, 13, 40, 212, 287, 491.
Xanthoura luxuosa glaucescens, 82.
Xiphorhynchus flavigaster flavigaster, 78.
 YELLOW-LEGS, 9, 34, 127, 205, 467.
 Greater, 9, 34, 127, 205, 467.
 Yellow-throat, Maryland, 25, 217, 236, 383.
 Western, 15, 46, 310, 317.
ZAMELODIA ludoviciana, 44, 235, 268, 283.
 melanocephala, 14, 44, 89, 214, 316.
Zenaidura macroura, 111, 398-407.
 macroura carolinensis, 10, 35, 75, 206, 312.
Zonotrichia albicollis, 14, 213, 235.
 coronata, 174, 175.
 leucophrys, 42, 213, 469.
 leucophrys gambeli, 43, 88.

- Zonotrichia leucophrys leucophrys, Zonotrichia leucophrys nuttalli, 174.
88, 315, 488. querula, 213, 267.

ERRATA.

Page 8, line 11, for **Merganser serrator** read **Mergus serrator**.

" 8, " 39, for **hyperborea** read **hyperboreus**.

" 10, " 40, for **Carthartes** read **Cathartes**.

" 12, " 27, for **saya** read **sayus**.

" 38, " 15, for **Phalænoptila** read **Phalænoptilus**.

" 136, " 27, for E. E. Lodge read G. E. Lodge.

" 150, " 39, after 1901 add, when he was transferred to the class of
Members.

" 150, " 44, for Ecstorm read Eckstorm.

" 152, " 9, for S. H. Rhoads read S. N. Rhoads.

" 265, " 13, after immaturity add, or a female.

" 291, " 7, for Shelly read Shelley.